New Jersey Laboratories Certified
A Full-Service Analytical Chemistry & Microbiology Laboratory

1110 Somerset Street
New Brunswick, NJ 08901
Tel: 732.249.0148
www.njlabs.com

FDA Registration 2219935 | CGMP Compliant | DEA Registration RN0183044

Certificate of Analysis

Client Name:	Universal Nutrition	NJL ID:	263615
		Page Number:	1 of 1
Client Address:	3 Terminal Road New Brunswick, NJ 08901	Sample Name:	Animal Creatine Chews Smarties 120's
Sample Received Date:	21May2026	Sample Information:	Full Panel Lot# 2026-26872
Report Date:	05Jun2026		

PARAMETERS	METHODS	RESULTS	TARGETS	SPECIFICATIONS	PASS/FAIL
Total Plate Count[1]	NJL SOP M1087.0 USP-NF 2026, Issue 2, <2021> DR: 26-043	<1,000 cfu/g	Not Applicable	NMT 500,000 cfu/g	PASS
Yeast & Mold[1]	NJL SOP M1087.0 USP-NF 2026, Issue 2, <2021> DR: 26-043	<100 cfu/g	Not Applicable	NMT 5,000 cfu/g	PASS
E. coli[1]	NJL SOP M1087.0 USP-NF 2026, Issue 2, <2022> DR: 26-043	Absent/10g	Not Applicable	Absent/10g	PASS
Salmonella[1]	NJL SOP M1087.0 USP-NF 2026, Issue 2, <2022> DR: 26-043	Absent/10g	Not Applicable	Absent/10g	PASS
Creatine Monohydrate	HPLC NJL SOP 820.2	5.1 g	5 g	NLT 4.5 g	PASS
Sodium	ICP-MS NJL SOP C002.3	11 mg	10 mg	NLT 10 mg	PASS
Arsenic[1]	ICP-MS NJL SOP C002.3	<0.01 mg/serving	Not Applicable	NMT 0.01 mg/serving	PASS
Cadmium[1]	ICP-MS NJL SOP C002.3	<0.0041 mg/serving	Not Applicable	NMT 0.0041 mg/serving	PASS
Mercury[1]	ICP-MS NJL SOP C002.3	<0.002 mg/serving	Not Applicable	NMT 0.002 mg/serving	PASS
Lead[1]	ICP-MS NJL SOP C002.3	<0.01 mg/serving	Not Applicable	NMT 0.01 mg/serving	PASS
Serving Size	Balance NJL SOP C146.1	8.165 g	8.136 g	Report Only	Not Applicable

[1]The tests are accredited to ISO/IEC 17025:2017, PJLA Accreditation No: 97233, Accreditation Field: Testing.

Sandra Lee
Chief Executive Officer

This report shall not be reproduced except in full, without written approval of NJL. The laboratory name nor any member of its staff are to be used for sales or marketing purposes, without written consent. The results reported pertain only to the samples tested and are not necessarily indicative of the qualities of apparently identical or similar samples or products from the same or different lots, batches, or sources. Uncertainty data may be provided upon request. Pass or Fail statements of conformity reflect results applied to client specifications.